Author Index to Volume 29

ARTHUR, J.W. *see* RICHARDS, C.
AVANZINO, R.J. *see* TRISKA, F.J.

BALES, M. *see* IRVINE, K.
BALES, M., MOSS, B., PHILLIPS, G., IRVINE, K. AND STANSFIELD, J. The changing ecosystem of a shallow, brackish lake, Hickling Broad, Norfolk, U.K. II. Long-term trends in water chemistry and ecology and their implications for restoration of the lake, 141
BARNES, J.-A. *see* WILLIAMS, D.D.
BAYLEY, P.B. *see* OSBORNE, L.L.
BAYLEY, P.B. AND OSBORNE, L.L. Natural rehabilitation of stream fish populations in an Illinois catchment, 295
BEACH, P.C. *see* WILLIAMS, D.D.
BENFIELD, E.F. *see* STOUT, B.M. III
BLAKE, M.A. AND HART, P.J.B. The behavioural responses of juvenile signal crayfish, *Pacifastacus leniusculus*, to stimuli from perch and eels, 89
BORCHARDT, D. Effects of flow and refugia on drift loss of benthic macroinvertebrates: implications for habitat restoration in lowland streams, 221
BUND, VAN DE, W.J. AND DAVIDS, C. Complex relations between freshwater macro- and meiobenthos: interactions between *Chironomus riparius* and *Chydorus piger*, 1

DAVIDS, C. *see* BUND, VAN DE, W.J.
DÉCAMPS, H. *see* MULLER, E.
DÉCAMPS, H. *see* TABACCHI, E.
DOBSON, M. *see* VERVIER, P.
DOBSON, M.K. *see* MULLER, E.
DUDOK VAN HEEL, E. *see* SMIT, H.
DUFF, J.H. *see* TRISKA, F.J.
DUNNE, T. *see* PALMER, C.

EKSTAM, B. *see* WEISNER, S.E.B.

GABOURY, M. *see* NEWBURY, R.
GILBERT, J.J. *see* JACK, J.D.
GODDEERIS, B. *see* MARTIN, P.
GOLLADAY, S.W. *see* HAX, C.L.
GRANÉLI, W. *see* WEISNER, S.E.B.
GUISANDE, C. Reproductive strategy as population density varies in *Daphnia magna* (Cladocera), 463

HANTKE, B. AND MELZER, A. Kinetic changes in surface phosphatase activity of *Synedra acus* (Bacillariophyceae) in relation to pH variation, 31
HART, P.J.B. *see* BLAKE, M.A.
HAVEL, J.E., LINK, J. AND NIEDZWIECKI, J. Selective predation by *Lestes* (Odonata, Lestidae) on littoral microcrustacea, 47
HAX, C.L. AND GOLLADAY, S.W. Macroinvertebrate colonization and biofilm development on leaves and wood in a boreal river, 79

HIGLER, L.W.G. *see* OSBORNE, L.L.
HIGLER, L.W.G. The riparian community of north-west European lowland streams, 229
HOST, G.E. *see* RICHARDS, C.

IRVINE, K. *see* BALES, M.
IRVINE, K., MOSS, B., BALES, M. AND SNOOK, D. The changing ecosystem of a shallow, brackish lake, Hickling Broad, Norfolk, U.K. I. Trophic relationships with special reference to the role of *Neomysis integer*, 119

JACK, J.D. AND GILBERT, J.J. Susceptibilities of different-sized ciliates to direct suppression by small and large cladocerans, 19
JACK, J.D. AND GILBERT, J.J. The effect of suspended clay on ciliate population growth rates, 385
JACKSON, L.J. AND KALFF, J. Patterns in metal content of submerged aquatic macrophytes: the role of plant growth form, 351
JACOBSEN, B. *see* RABENI, C.F.

KALFF, J. *see* JACKSON, L.J.
KEDDY, P.A. *see* WILSON, S.D.
KOVIAC, D.A. *see* OSBORNE, L.L.

LINK, J. *see* HAVEL, J.E.
LOSEE, R.F. AND WETZEL, R.G. Littoral flow rates within and around submersed macrophyte communities, 7

MARTENS, K. *see* MARTIN, P.
MARTIN, P., GODDEERIS, B. AND MARTENS, K. Oxygen concentration profiles in soft sediment of Lake Baikal (Russia) near the Selenga delta, 343
MATVEEV, V. An investigation of allelopathic effects of *Daphnia*, 99
MELZER, A. *see* HANTKE, B.
MOLLES JR, M.C. *see* NISLOW, K.H.
MOORE, D.R.J. *see* WILSON, S.D.
MOSS, B. *see* BALES, M.
MOSS, B. *see* IRVINE, K.
MOTH IVERSEN, T. *see* OSBORNE, L.L.
MULLER, E., DÉCAMPS, H. AND DOBSON, M.K. Contribution of space remote sensing to river studies, 301

NEWBURY, R. AND GABOURY, M. Exploration and rehabilitation of hydraulic habitats in streams using principles of fluvial behaviour, 195
NIEDZWIECKI, J. *see* HAVEL, J.E.
NISLOW, K.H. AND MOLLES JR, M.C. The influence of larval case design on vulnerability of *Limnephilus frijole* (Trichoptera) to predation, 411
NOLEN, J.A. AND PEARSON, R.G. Factors affecting litter processing by *Anisocentropus kirramus* (Trichoptera: Calamoceratidae) from an Australian tropical rainforest stream, 469

O'Keeffe, J. *see* Palmer, C.
Osborne, L.L. *see* Bayley, P.B.
Osborne, L.L., Bayley, P.B., Higler, L.W.G., Statzner, B., Triska, F. and Moth Iversen, T. Restoration of lowland streams: an introduction, 187
Osborne, L.L. and Koviac, D.A. Riparian vegetated buffer strips in water-quality restoration and stream management, 243

Palmer, A. *see* Palmer, C.
Palmer, C., O'Keeffe, J., Palmer, A., Dunne, T. and Radloff, S. Macroinvertebrate functional feeding groups in the middle and lower reaches of the Buffalo River, eastern Cape, South Africa. I. Dietary variability, 441
Palmer, C., O'Keeffe, J. and Palmer, A. Macroinvertebrate functional feeding groups in the middle and lower reaches of the Buffalo River, eastern Cape, South Africa. II. Functional morphology and behaviour, 455
Pearson, R.G. *see* Nolen, J.A.
Phillips, G. *see* Bales, M.
Pinay, G. *see* Vervier, P.
Prejs, K. Distribution and feeding of the predatory nematode *Anatonchus dolichurus* (Mononchoidea) in the Dokka delta (Norway) and its impact on the benthic meiofauna, 71

Rabeni, C.F. and Jacobsen, B. The importance of fluvial hydraulics to fish-habitat restoration in low-gradient alluvial streams, 211
Radloff, S. *see* Palmer, C.
Richards, C., Host, G.E. and Arthur, J.W. Identification of predominant environmental factors structuring stream macroinvertebrate communities within a large agricultural catchment, 285

Scarsbrook, M.R. and Townsend, C.R. Stream community structure in relation to spatial and temporal variation: a habitat template study of two contrasting New Zealand streams, 395
Smit, H., Dudok van Heel, E. and Wiersma, S. Biovolume as a tool in biomass determination of Oligochaeta and Chironomidae, 37
Snook, D. *see* Irvine, K.
Sperling, F. *see* Statzner, B.
Stansfield, J. *see* Bales, M.
Statzner, B. *see* Osborne, L.L.
Statzner, B. and Sperling, F. Potential contribution of system-specific knowledge (SSK) to stream-management decisions: ecological and economic aspects, 313
Stout, B.M. III, Benfield, E.F. and Webster, J.R. Effects of a forest disturbance on shredder production in southern Appalachian headwater streams, 59

Tabacchi, E., Décamps, H. and Thomas, A. Substrate interstices as a habitat for larval *Thraulus bellus* (Ephemeroptera) in a temporary floodplain pond, 429
Thomas, A. *see* Tabacchi, E.
Tokeshi, M. On the evolution of commensalism in the Chironomidae, 481
Townsend, C.R. *see* Scarsbrook, M.R.
Triska, F. *see* Osborne, L.L.
Triska, F.J., Duff, J.H. and Avanzino, R.J. Patterns of hydrological exchange and nutrient transformation in the hyporheic zone of a gravel-bottom stream: examining terrestrial–aquatic linkages, 259

Vervier, P., Dobson, M. and Pinay, G. Role of interaction zones between surface and ground waters in DOC transport and processing: considerations for river restoration, 275

Walling, D.E. *see* Webb, B.W.
Waringer, J.A. The drag coefficient of cased caddis larvae from running waters: experimental determination and ecological applications, 419
Webb, B.W. and Walling, D.E. Temporal variability in the impact of river regulation on thermal regime and some biological implications, 167
Webster, J.R. *see* Stout, B.M. III
Weisner, S.E.B., Granéli, W. and Ekstam, B. Influence of submergence on growth of seedlings of *Scirpus lacustris* and *Phragmites australis*, 371
Wetzel, R.G. *see* Losee, R.F.
Wiersma, S. *see* Smit, H.
Williams, D.D., Barnes, J.-A. and Beach, P.C. The effects of prey profitability and habitat complexity on the foraging success and growth of stonefly (Plecoptera) nymphs, 107
Wilson, S.D., Moore, D.R.J. and Keddy, P.A. Relationships of marsh seed banks to vegetation patterns along environmental gradients, 361

Young, W.J. Field techniques for the classification of near-bed flow regimes, 377